

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Portland, ME <b>Maine Responder</b> <b>MSRC 620</b> Casco Bay Responder Bigelow Bight Responder	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 WP-1 1 Desmi 250 1 Elastec Drum 1 Ro-Clean OM 260 1 Skim-Pack 1800 1 Komara 12K 1 Komara 30K 2 Lori side collector 1 Sea Devil 1 GT-185 w Adapter	<b>10,567</b> <b>15,840</b> 3,017 2,112 288 362 2,054 362 905 2,714 2,290 1,371	<b>1,320 ft. Sea Sentry II</b> 5,500 ft. Sea Sentry II 1,000 ft. Texa Boom 1,700 ft. Slickbar 500 ft. Fire + 400' Guide 220 ft. Sea Sentry (11-16) 60 ft. Mark II Boom 1,200 ft. 38" Carolina Boom 2,600 ft. 27" Carolina Boom 1,750 ft. 38" Amer B & B 3,050 ft. 27" Amer Mar Boom 3,200 ft. 19" HarborBoom	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 62,000 barrel offshore barge</b> 1 - Shallow Water Barge (self propelled/400 bbl) 1 - 500 bbl towable storage bladder 2 - 100 bbl Towable Storage Barges 1 - 200 bbl Towable Storage Barge 2 - 10 bbl Fastanks 1 - 50 bbl Fastank 2 - 55 bbl Fastanks 1 - Lancer TSB 3 - Work boats 330 Gallons Corexit 9527 - 1 tote
Boston, MA High Volume Port	1 Desmi Ocean 1 Queensboro	3,017 905	1,320 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 2,000 ft. Slickbar	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Providence, RI	1 GT-185 w Adapter	1,371	4,620 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 1,900 ft. Slickbar	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Edison/Perth Amboy, NJ <b>New Jersey Responder</b> <b>MSRC 520</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 Desmi Ocean 1 AardVAC 1 GT-185 w Adapter 1 Skim-Pak 1 Walosep W4	<b>10,567</b> <b>15,840</b> 3,017 3,840 1,371 548 3,017	<b>1,320 ft. Sea Sentry II</b> 5,500 ft. Sea Sentry II 1,800 ft. Texa Boom 990 ft. Sea Sentry (20-30) 770 ft. Sea Sentry (11-16) 500 ft. Fire + 400' Guide 120 ft. Mark II Boom	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 52,000 barrel offshore barge</b> 1 - Shallow Water Barges (self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 2 - 500 bbl towable storage bladders 3 - 10 bbl Fastanks 9 - 55 bbl Fastank 330 Gallons Corexit 9527 dispersant
Bayonne, NJ	1 GT-185 w Adapter	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
Chesapeake City, MD <b>Delaware Responder</b> <b>MSRC 401</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 Walosep W4 1 Skim-Pak 1 Queensboro 1 GT-185 w Adapter	<b>10,567</b> <b>15,840</b> 3,017 548 905 1,371	<b>1,320 ft. Sea Sentry II</b> 5,500 ft. Sea Sentry II 1,000 ft. Texa Boom 1,060 ft. Slickbar 500 ft. Fire + 400' Guide 120 ft. Mark II Boom	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 40,000 barrel offshore barge</b> 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (1-28' Munson) 9,460 Gallons Corexit 9527 dispersant 330 Gallons Corexit 9527 dispersant - 1 tote(DBRC Site)

## MSRC's Major Equipment - Atlantic/Gulf Region-Atlantic Area

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Baltimore, MD	1 GT-185 w Adapter	1,371	1,965 ft. Slickbar 60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Virginia Beach, VA <b>Virginia Responder MSRC 680</b>	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 AardVAC 1 GT-185 w Adapter	<b>10,567</b> <b>15,840</b> 3,840 1,371	<b>1,320 ft. Sea Sentry II</b>  4,840 ft. Sea Sentry II 3,000 ft. Texa Boom 2,860 ft. Slickbar  60 ft. Mark II Boom	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 68,000 barrel offshore barge</b> 1 - Shallow Water Barge (self propelled/400 bbl) 1 - 500 bbl towable storage bladder 2 - 10 bbl Fastanks 330 Gallons Corexit 9527 dispersant 2 - 55 bbl Fastank
Yorktown, VA	1 GT-185 w Adapter	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Savannah, GA <b>MSRC 350 MSRC Relentless</b>	<b>1 Transrec 350</b> <b>1 LORI Brush Pack</b> 2 Walosep W4 1 Stress I 1 Skim-Pak 2 GT-185 w Adapter	<b>10,567</b> <b>5,000</b> 6,034 15,840 548 2,742	<b>1,320 ft. Sea Sentry II</b>  8,140 ft. Sea Sentry II 1,940 ft. Slickbar 1,000 ft. Texa Boom 120 ft. Mark II Boom	<b>1 - 35,000 barrel offshore barge</b> <b>1 - 50 barrel FRV Storage. 1-100 barrel Towable Stor Bladder.</b> 1 - 3,000 bbl towable storage bladder 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (1 -28' Munson; 1-26' Munson) 12 - 500 bbl towable storage bladders 1 - 10 bbl Fastanks 1 - 55 bbl Fastank
Jacksonville, FL	1 GT-185 w Adapter	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Miami, FL <b>Florida Responder</b>	<b>1 Transrec 350</b> 1 WP 1 1 Desmi Ocean 1 Walosep 4 1 Stress I 2 AardVac 1 GT-185 w Adapter	<b>10,567</b> 3,017 3,017 3,017 15,840 7,680 1,371	<b>1,980 ft. Sea Sentry II</b> 7,700 ft. Sea Sentry II 2,900 ft. Slickbar 500 ft. Fire + 400' Guide 50 ft. OK Corral 2,000 ft. Quali-tech	<b>1 - 4,000 barrel OSRV Storage</b> 1 - Shallow Water Barge (self propelled/400 bbl) 8 - 500 bbl towable storage bladders  850 Gallons Corexit 9527 dispersant - 2 totes
St. Croix, VI <b>MSRC 381</b> High Volume Port	<b>1 Stress I</b> 1 AardVac 1 Stress I 1 Queensboro 1 GT-185 w Adapter	<b>15,840</b> 3,840 15,840 905 1,371	<b>1,980 ft. Sea Sentry II</b> 10,340 ft. Sea Sentry II 5,940 ft. Slickbar 500 ft. Fire + 400' Guide 100 ft. Quali-tech	<b>1 - 38,000 barrel offshore barge</b> 2 - Shallow Water Barges (self propelled/400 bbl ea) 4 - 500 bbl towable storage bladders

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Ponce, Puerto Rico	1 Desmi Ocean 2 Queensboro	3,017 1,810	2,100 ft. Slickbar 100 ft. Quali-tech	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Barge (self-propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
San Juan, Puerto Rico <b>MSRC Brisa Rapida</b>	<b>1 LORI Brush Pack</b> 1 Queensboro 1 Stress II	<b>5,000</b> 905 3,017	4,100 ft. Slickbar 50 ft. Quali-tech	<b>1 - 50 barrel FRV Storage</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 1 - 100 bbl towable storage bladder 900 Gallons Corexit 9527 dispersant - 3 totes
Yabacoa, Puerto Rico	1 Foilex 200 1 Queensboro	1,989 905	7,365 ft. Slickbar 50 ft. Quali-tech	1 - Shallow Water Barges (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Total Equipment	66 Skimmers	294,404	129,110 Feet	4 - Responder Class OSRVs with a total of 16,000 bbls storage 2 - Smaller OSRVs 2 - FRV's with a total of 50 bbls storage each 5 - Offshore Barges with 257,000 bbls storage 9 - Shallow Water Barges (non-self propelled) (3,200 bbls storage) 3 - Shallow Water Barges (self propelled) (1,200 bbls storage) 3 - Towable Storage Barges (non-self propelled) (400 bbls storage) 9 - Shallow Water Push Boats 18 - Towable Storage Bladders (11,100 bbls storage) 3 - Work Boats 23 - Fastanks (900 bbls)

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Ingleside, TX <b>Southern Responder</b> <b>MSRC 403</b> <b>MSRC Quick Strike</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> <b>1 LORI Brush Pack</b> 1 WP 1 1 Vikoma 3 Weir 1 GT-185 w Adapter 1 Foilex 250	<b>10,567</b> <b>15,840</b> <b>5,000</b> 3,017 5,657 1,371 3,977	<b>1,980 ft. Sea Sentry II</b>  4,620 ft. Sea Sentry II 900 ft. Slickbar 500 ft. Texa Boom 1,216 ft. Vikoma 3 Weir 50 ft. OK Corral 1,350 ft. 44" Amer B&B 430 ft. Oil Stop 2,050 ft. Flexy-Pimac	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 40,300 barrel offshore barge</b> <b>1 - 50 barrel FRV Storage</b> 1 - Shallow Water Barge (self propelled/400 bbl)       300 Gallons Corexit 9527 dispersant - 1 tote
Galveston, TX <b>Texas Responder</b> <b>MSRC 570</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> 2 GT-185 w Adapter 1 Walosep 4 1 Queensboro 1 Foilex 250	<b>10,567</b> <b>15,840</b> 2,742 3,017 905 3,977	<b>1,980 ft. Sea Sentry II</b>  5,610 ft. Sea Sentry II 1,000 ft. Slickbar 500 ft. Texa Boom 500 ft. Fire Boom 50 ft. OK Corral 100 ft. Quali-tech	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 56,900 barrel offshore barge</b> 3 - Shallow Water Barges (non-self propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons)    500 Gallons Corexit 9527 dispersant - 2 totes(GLO) 850 Gallons Corexit 9527 dispersant - 2 totes
Port Arthur, TX High Volume Port	1 GT-185 w Adapter	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Lake Charles, LA <b>Gulf Coast Responder</b> High Volume Port	<b>1 Transrec 350</b> 1 Desmi Ocean 1 Stress I 4 Queensboro 1 Foilex 250	<b>10,567</b> 3,017 15,840 3,620 3,977	<b>1,980 ft Sea Sentry II</b> 7,449 ft Sea Sentry II 1,000 ft. Slickbar 400 ft. Texa Boom 100 ft. OK Corral 9,400 ft. 18" Amer B&B 100  ft. Quali-tech	<b>1 - 4,000 barrel OSRV Storage</b> 16 - 500 bbl towable storage bladders 1 - 3,000 bbl towable storage bladder 1 - Shallow Water Barge (self propelled/400 bbl) 3 - Shallow Water Barges (non-self propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 18,480 Gallons Corexit 9500 dispersant 850 Gallons Corexit 9527 dispersant - 2 totes
Houma, LA	1 Queensboro	905	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boats (1-28' Munson)

## MSRC's Major Equipment - Atlantic/Gulf Region - Gulf Area

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Fort Jackson/Belle Chase, LA <b>Louisiana Responder</b> <b>MSRC 452</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 GT-185 w Adapter 1 Desmi Ocean 1 Foilex 250 1 Foilex 200 1 Walosep W4	<b>10,567</b> <b>15,840</b> 1,371 3,017 3,977 1,989 3,017	<b>1,980 ft. Sea Sentry II</b>  3,300 ft. Sea Sentry II 1,000 ft. Slickbar 50 ft. OK Corral	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 45,000 barrel offshore barge</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson) 1 - 3,000 bbl towable storage bladder  850 Gallons Corexit 9527 dispersant - 2 totes
Baton Rouge, LA	1 GT-185 w Adapter	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Pascagoula, MS <b>Mississippi Responder</b> <b>MSRC 402</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> <b>1 Stress II</b> 1 GT-185 w Adapter 1 WP 1 1 Queensboro 1 AardVac	<b>10,567</b> <b>15,840</b> <b>3,017</b> 1,371 3,017 905 3,840	<b>1,980 ft. Sea Sentry II</b>  4,495 ft. Sea Sentry II 500 ft. Fire Boom 1,450 ft. Texa Boom 50 ft. OK Corral 4,000 ft. Quali-tech 2,000 ft. Flexy-Pimac 900 ft. Amer B&B 5,700 ft. 24" Amer Marine	<b>1 - 4,000 barrel OSRV Storage</b>  <b>1 - 40,300 barrel offshore barge</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Barge (self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson) 22,638 Gallons Corexit 9527 dispersant at Stennis, MS 4,585 Gallons Corexit 9500 dispersant at Stennis, MS
Tampa, FL <b>MSRC 360</b> <b>MSRC Lightning</b>	<b>1 Stress I</b> <b>1 LORI Brush Pack</b> 1 GT-185 w Adapter 1 WP 1	<b>15,840</b> <b>5,000</b> 1,371 3,017	<b>1,540 ft. Sea Sentry II</b>  2,000 ft. Texa Boom 50 ft. OK Corral 2,200 ft. Slickbar	<b>1 - 36,000 barrel offshore barge</b> <b>1 - 50 barrel FRV Storage</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 2 - 500 bbl towable storage bladders
Total Equipment	43 Skimmers	226,708	76,610 Feet	6 - Responder Class OSRV's with a total of 24,000 bbls storage 3 - FRV with a total of 150 bbls storage 6 - Offshore Barges with 256,500 bbls storage 16 - Shallow Water Barges (non-self propelled) (6,400 bbls storage) 7 - Shallow Water Barges (self propelled) (2,800 bbls storage) 22 - Shallow Water Push Boats 33 - Towable Storage Bladders (21,100 bbls storage)

## MSRC's Major Equipment - Atlantic/Gulf Region - Gulf Area

Revised: 3/12/2010