

Location	OSRV/OSRB/ SkimVsl/BoomBoat	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats	
			BBL/Day	Boom		
Ingleside, TX High Volume Port	Southern Responder	1 Transrec 350	10,567	4,290 ft. Sea Sentry I	1 - 4,000 barrel OSRV Storage*, X Band Radar, I 2,970 ft. 67" LAMOR 1 - 40,300 barrel offshore barge, X Band Radar, I 1 - 50 barrel FRV Storage	
	MSRC 403	1 Crucial Disk 8	11,122	660 ft. Sea Sentry I		
	MSRC Quick Strike	2 LORI Brush P	5,000	660 ft. 67" LAMOR		
	Other Equipment	1 WP 1 1 Stress I 1 GT-185 w Ada 1 Foilex 250	3,017 15,840 1,371 3,977	1,650 ft. Sea Sentry II 1,320 ft. 67" LAMOR 900 ft. Slickbar 500 ft. Texa Boom 50 ft. OK Corral 1,350 ft. 44" Amer B&B 430 ft. Oil Stop 2,050 ft. Flexy-Pimac	1 - Shallow Water Barge (self propelled/400 bbl)	
Site Totals		8	50,894	16,830		
Galveston, TX High Volume Port	Texas Responder	1 Transrec 350	10,567	4,620 ft. Sea Sentry I	1 - 4,000 barrel OSRV Storage*, X Band Radar, I 3,300 ft. 67" LAMOR 1 - 56,900 barrel offshore barge, X Band Radar, I	
	MSRC 570	2 Crucial Disk 8	22,244	2,640 ft. Sea Sentry I		
	Other Equipment	2 GT-185 w Ada 1 Walosep 4 1 Queensboro 1 Foilex 250 1 Stress I	2,742 3,017 905 3,977 15,840	330 ft. Sea Sentry II 3,960 ft. 67" LAMOR 500 ft. Texa Boom 50 ft. OK Corral 100 ft. Quali-tech 1,000 ft. Slickbar		3 - Shallow Water Barges (non-self propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 1 - 24 ft small boat 11,550 Gallons Corexit 9500 (35 totes)
Site Totals		9	59,292	16,500		
Houston, TX				17,500 ft. Pyro Boom 8,580 ft. 67" LAMOR		
Site Totals				26,080		
Port Arthur, TX High Volume Port		1 GT-185 w Ada	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)	
Site Totals		1	1,371	50		
Lake Charles, LA High Volume Port	Gulf Coast Responder	1 Transrec 350	10,567	5,280 ft Sea Sentry II	1 - 4,000 barrel OSRV Storage*, X Band Radar, I 2,640 ft. 67" LAMOR	
	Other Equipment	4 Queensboro 1 Desmi 1 Foilex 250 1 Stress I 2 Transrec 350	3,620 3,017 3,977 15,840 21,134	79 ft Sea Sentry II 1,320 ft EFC(cont infl) 14,630 ft 67" LAMOR 9,400 ft. 18" Kepner 100 ft. Quali-tech		1 - Shallow Water Barge (self propelled/400 bbl) 3 - Shallow Water Barge (non-self propelled/400bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 2 -3,000 barrel towable storage bladder 16 - 500 barrel towable storage bladders

MSRC's Major Equipment - Atlantic/Gulf Region - Gulf Area

Location	OSRV/OSRB/ SkimVs/BoomBoat	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats
			BBL/Day	Boom	
				400 ft. Texa Boom	
				1,000 ft. Slickbar	
				100 ft. OK Corral	
				2,000 ft Hydro Boom	
Site Totals		10	58,155	36,949	

Location	OSRV/OSRB/ SkimVsl/BoomBoat	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats	
			BBL/Day	Boom		
Port Fourchon, LA	Deep Blue Response	1 LFF 100 Brush	18,086	6,600 ft. Sea Sentry I 660 ft. 67" LAMOR	1 - 4,000 barrel OSRV Storage*, X Band Radar, I	
	PSV** - HOS Center	1 Crucial Disk 8	11,122	1,320 ft EFC(cont inf	10,626 barrels Temporary Storage	
	PSV** - HOS Strongl	1 Crucial Disk 8	11,122	1,320 ft EFC(cont inf	10,626 barrels Temporary Storage	
	PSV**-C-Freedom	1 LFF 100 Brus	18,086	1,320 ft EFC(cont inf	6,000 barrels Temporary Storage	
	PSV**-C-Leader	1 LFF 100 Brus	18,086	1,320 ft EFC(cont inf	6,000 barrels Temporary Storage	
	PSV**-Allvsa Cho	1 LFF 100 Brus	18,086	1,320 ft EFC(cont inf	6,000 barrels Temporary Storage	
	Other Equipment	1 Stress I 1 Crucial Disk 8	15,840 11,122	1,000 ft. Pyro Boom 500 ft. Hydro Boom 500 ft Hydro "training"		
Site Totals		8	121,550	15,860		
Ft.Jk/Belle Chase, LA High Volume Port	Louisiana Responde	1 LFF 100 Brus	18,086	2,640 ft. Sea Sentry I 5,280 ft. 67" LAMOR	1 - 4,000 barrel OSRV Storage*, X Band Radar, I	
	MSRC 452	1 Crucial Disk8	11,122	1,980 ft. Sea Sentry I 660 ft. 67" LAMOR	1 - 45,000 barrel offshore barge, X Band Radar, I	
	Other Equipment	1 GT-185 w Ada 1 Walosep W4 1 Foilex 250 1 Stress I 1 Desmi Ocean 1 Queensboro 1 Foilex 200	1,371 3,017 3,977 15,840 3,017 905 1,989	660 ft. Sea Sentry II 1,320 ft. 67" LAMOR 1,000 ft. Slickbar 100 ft. OK Corral	2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boat (1-28' Munson)	
	Site Totals		9	59,324	13,640	
	Baton Rouge, LA		1 GT-185 w Ada	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
	Site Totals		1	1,371	50	
	Pascagoula, MS High Volume Port	Mississippi Responde	1 Transrec 350	10,567	5,280 ft. Sea Sentry I 2,640 ft 67" LAMOR	1 - 4,000 barrel OSRV Storage*, X Band Radar, I
MSRC 402		2 Crucial Disk8	22,244	660 ft. Sea Sentry I 1,980 ft 67" LAMOR	1 - 40,300 barrel offshore barge, X Band Radar, I	
Other Equipment		1 Stress I 1 GT-185 w Ada 1 AardVac 1 WP 1 1 Queensboro 1 Stress II	15,840 1,371 3,840 3,017 905 3,017	535 ft. Sea Sentry II 2,970 ft. 67" LAMOR 6,900 ft. 18" Kepner 1,450 ft. Texa Boom 50 ft. OK Corral	1 - Shallow Water Barge (self propelled/400 bbl) 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)	
Site Totals			9	60,801	22,465	
Stennis, MS		C-130 Spray Aircraft King Air BE90 Spray AC				16,009 Gallons Corexit 9500 Dispersant (35 totes, 1
Site Totals						

MSRC's Major Equipment - Atlantic/Gulf Region - Gulf Area

Location	OSRV/OSRB/ SkimVsl/BoomBoat	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
----------	--------------------------------	----------	---	------	---------------------------

Location	OSRV/OSRB/ SkimVsl/BoomBoat	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats
			BBL/Day	Boom	
Tampa, FL	MSRC 360 MSRC Lightning	1 Crucial Disk88	11,122	1,320 ft. Sea Sentry I	1 - 36,000 barrel offshore barge, X Band Radar, I 1 - 50 barrel FRV Storage
		2 LORI Brush P	5,000		
	Other Equipment	1 Stress I	15,840	220 ft. Sea Sentry II	2 - 500 bbl towable storage bladders
		1 GT-185 w Ada	1,371	2,000 ft. Texa Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
1 WP 1		3,017	50 ft. OK Corral	1 - Shallow Water Push Boat (28' Munson)	
Site Totals		6	36,350	2,200 ft. Slickbar	5,280 Gallons Corexit 9500 Dispersant (16 totes)

Total Equipment 61 Skimmers 449,108 ##### Feet

Bold entries denote resources associated with a vessel.

*USCG OSRO Temp Stor, 14,000 barrels

**PSV- Contract vessel/Owned equipment

6 - Responder Class OSRVs with a total of 24,000 bbl
2 - FRV with a total of 100 bbls storage
5 - Offshore Barges with 218,500 bbls storage
12 - Shallow Water Barges (non-self propelled) (4,800 bbls)
3 - Shallow Water Barges (self propelled) (1,200 bbls)
12 - Shallow Water Push Boats
20 - Towable Storage Bladders (15,000 bbls storage)
105,504 ft Ocean Boom
36,139 Gallons Corexit 9500 Dispersant

NOTES & DISCLAIMERS:

- (1) FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.
- (2) The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to prior spill response availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation and other conditions.
- (3) Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and boom may be used on different vessels than those listed above.
- (4) Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery rates, storage capacity will depend on the specifics of the individual response, the type of oil involved, etc.
- (5) EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not represent actual skimming capacity.
- (6) Preparation and implementation of plans remains the responsibility of the planholder.

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day		
Portland, ME	Maine Responder MSRC 620 Saddleback Katahdin Crocker Cadillac Agamenticus	1 Transrec 350	10,567	2,640 ft. Sea Sentry II 660 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage* 1 - 62,000 barrel offshore barge
	Other Equipment	1 WP-1 1 Desmi 250 1 Elastec Drum 1 Ro-Clean OM 1 1 Skim-Pack 180 1 Komara 12K 1 Komara 30K 2 Lori side collec 1 Sea Devil 1 GT-185 w Ada 1 Stress I	3,017 2,112 288 362 2,054 362 905 2,714 2,290 1,371 15,840	3,520 ft. Sea Sentry II 1,000 ft. Texa Boom 4,700 ft. 18" Kepner 220 ft. Sea Sentry (11-1 60 ft. Mark II Boom 1,200 ft. 38" Carolina Boc 4,650 ft. 27" Carolina Boc 1,750 ft. 38" Amer B & B 1,000 ft. Slickbar Boom 3,200 ft. 19" HarborBoom	1 - Shallow Water Barge (self propelled/400 bbl) 1 - 500 bbl towable storage bladder 2 - 100 bbl Towable Storage Barges 1 - 200 bbl Towable Storage Barge 2 - 10 bbl Fastanks 1 - 50 bbl Fastank 2 - 55 bbl Fastanks 1 - Lancer TSB 990 Gallons Corexit 9500 (3 totes)
Site Totals		#	41,882	24,600	
Boston, MA High Volume Port		1 Desmi Ocean 1 Queensboro	3,017 905	1,320 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 1,000 ft. 18" Kepner	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Site Totals		2	3,922	3,380	
Providence, RI		1 GT-185 w Ada	1,371	4,620 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 1,900 ft. 18" Kepner	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Site Totals		1	1,371	7,580	
Edison/Perth Amboy, NJ High Volume Port	New Jersey Responder MSRC 520	1 Transrec 350	10,567	2,640 ft. Sea Sentry II 660 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage* 1 - 52,000 barrel offshore barge
	Other Equipment	1 Desmi Ocean 1 AardVAC	3,017 3,840	3,520 ft. Sea Sentry II 1,800 ft. Texa Boom	1 - Shallow Water Push Boat (28' Munson) 1 - Shallow Water Barges (self propelled/400 bbl)

MSRC's Major Equipment - Atlantic/Gulf Region-Atlantic Area

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats
			BBL/Day	Boom	
		1 GT-185 w Ada	1,371	990 ft. Sea Sentry (20-3	2 - 500 bbl towable storage bladders
		1 Skim-Pak	548	770 ft. Sea Sentry (11-1	3 - 10 bbl Fastanks
		1 Stress I	15,840		9 - 55 bbl Fastank
		1 Walosep W4	3,017	120 ft. Mark II Boom	
Site Totals	7		38,200	10,500	

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day		
Bayonne, NJ		1 GT-185 w Ada	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
Site Totals		1	1,371	60	
Chesapeake City, MD High Volume Port	Delaware Responder MSRC 401	1 Transrec 350	10,567	2,640 ft. Sea Sentry II 660 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage* 1 - 40,000 barrel offshore barge
	Other Equipment	1 Walosep W4 1 Skim-Pak 1 Queensboro 1 GT-185 w Ada 1 Stress I	3,017 548 905 1,371 15,840	3,520 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 3,100 ft. 18" Kepner 60 ft. Mark II Boom	2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (2-26' Munson) 330 Gallons Corexit 9500 Dispersant (1 tote) - At DB 13,035 Gallons Corexit 9500 Dispersant (1 ISO Tank)
Site Totals		6	32248	11,040	
Baltimore, MD		1 GT-185 w Ada	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Site Totals		1	1,371	60	
Salsibury, MD	1 King Air BE90 Spray AC				330 Gallon Corexit 9500 (1 tote)
Virginia Beach, VA	MSRC 680 MSRC Relentless	2 Crial Disk 88 1 LORI Brush F	22,244 5,000	2,640 ft. Sea Sentry II	1 - 68,000 barrel offshore barge 1 - 50 barrel FRV Storage. 1-100 barrel Towable S
	Other Equipment	1 AardVAC 1 GT-185 w Ada	3,840 1,371	880 ft. Sea Sentry II 2,640 ft. 67" LAMOR 3,000 ft. Texa Boom 1,900 ft. 18" Kepner 60 ft. Mark II Boom	1 - 500 bbl towable storage bladder 2 - 10 bbl Fastanks 1 - Shallow Water Barge (self propelled/400 bbl) 2 - 55 bbl Fastank
Site Totals		5	32,455	11,120	
Yorktown, VA		1 GT-185 w Ada	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Site Totals		1	1,371	60	

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day		
Savannah, GA	MSRC Express MSRC 350	2 Crucial Belt 1 Transrec 350	21,500 10,567	660 ft. Sea Sentry II	1 - 249 barrel Storage 1 - 35,000 barrel offshore barge
	Other Equipment	2 Walosep W4 1 Stress I 1 Skim-Pak 2 GT-185 w Ada	6,034 15,840 548 2,742	8,800 ft. Sea Sentry II 2,000 ft. 18" Kepner 1,000 ft. Texa Boom 120 ft. Mark II Boom	1 - 3,000 bbl towable storage bladder 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (2 -28' Munson) 6 - 500 bbl towable storage bladders 1 - 10 bbl Fastanks 1 - 55 bbl Fastank 6,930 Gallons Corexit 9500 (21 totes)
Site Totals		9	57,231	12,580	
Jacksonville, FL		1 GT-185 w Ada	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Site Totals		1	1,371	50	
Miami, FL	Florida Responder	1 Transrec 350	10,567	7,260 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage*, X Band Radar, II
	Other Equipment	1 WP 1 1 Desmi Ocean 1 Walosep 4 1 Stress I 2 AardVac 1 GT-185 w Ada	3,017 3,017 3,017 15,840 7,680 1,371	3,740 ft. Sea Sentry II 4620 ft. 67" LAMOR 2,900 ft. 18" Kepner 50 ft. OK Corral 2,000 ft. 18" Quali-tech	1 - Shallow Water Barge (self propelled/400 bbl) 8 - 500 bbl towable storage bladders 990 Gallons Corexit 9500 (3 totes)
Site Totals		8	44,509	20,570	
St. Croix, VI High Volume Port	MSRC 381	1 Stress I	15,840	660 ft. Sea Sentry II	1 - 38,000 barrel offshore barge
	Other Equipment	1 AardVac 1 Stress I 1 Queensboro 1 GT-185 w Ada	3,840 15,840 905 1,371	11,660 ft. Sea Sentry II 5,940 ft. Slickbar 500 ft. Fire + 400' Guide 100 ft. Quali-tech	2 - Shallow Water Barges (self propelled/400 bbl ea) 4 - 500 bbl towable storage bladders
Site Totals		5	37,796	18,860	

MSRC's Major Equipment - Atlantic/Gulf Region-Atlantic Area

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day		
Ponce, Puerto Rico		1 Desmi Ocean 3 Queensboro 1 Foilex 200	3,017 2,715 1,989	9,465 ft. Slickbar 150 ft. Quali-tech	2 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Barge (self-propelled/400 bbl) 2 - Shallow Water Push Boat (28' Munson)
Site Totals		5	7,721	9,615	
San Juan, Puerto Rico					
	MSRC Brisa Rapida	1 LORI Brush F	5,000		1 - 50 barrel FRV Storage
	Other Equipment	1 Queensboro 1 Stress II	905 3,017	4,100 ft. Slickbar 50 ft. Quali-tech	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 1 - 100 bbl towable storage bladder 3,300 Gallons Corexit 9500 (10 totes) 900 Gallons Corexit 9527 dispersant - 3 totes
	King Air BE90 Spray AC				
Site Totals		3	8,922	4,150	

Total Equipment # Skimmers 311,741 ##### Feet

5 - Responder Class OSRVs with a total of 20,000 bb
2 - Smaller OSRVs
2 - FRV's with a total of 50 bbls storage each
6 - Offshore Barges with 295,000 bbls storage
13 - Shallow Water Barges (non-self propelled) (5,200 bbls)
7 - Shallow Water Barges (self propelled) (2,800 bbls)
3 - Towable Storage Barges (non-self propelled) (400 bbls)
13 - Shallow Water Push Boats
24 - Towable Storage Bladders (11,200 bbls storage)
3 - Work Boats
23 - Fastanks (900 bbls)
69,960 ft Ocean Boom
25,905 Gallons Corexit 9500 Dispersant
900 Gallons Corexit 9527 Dispersant

NOTES & DISCLAIMERS:

- (1) FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.
- (2) The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to prior spill responses. availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation and other condition
- (3) Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and boom may be deploy different vessels than those listed above.
- (4) Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery rates, storage ca will depend on the specifics of the individual response, the type of oil involved, etc.
- (5) EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not represent actual p
- (6) Preparation and implementation of plans remains the responsibility of the planholder.

Effective Daily
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Memphis, TN	1 Queensboro	905	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Roxana, IL	1 GT-185 w Ada	1,371	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Toledo, OH	1 Queensboro	905	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Whiting, IN	1 Queensboro	905	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Total Equipment	4 Skimmers	4,086	240 Feet	4 - Shallow Water Barges (non-self propelled) (1,600 bbls storage) 4 - Shallow Water Push Boats

NOTES & DISCLAIMERS:

- (1) **FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.**
- (2) **The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to prior availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation and**
- (3) **Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and boom different vessels than those listed above.**
- (4) **Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery r will depend on the specifics of the individual response, the type of oil involved, etc.**
- (5) **EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not re**
- (6) **Preparation and implementation of plans remains the responsibility of the planholder.**

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Eureka/Humboldt Bay, CA	Boomer I (Boom only)			1,200 ft. 20" Harbor Boom	
	Recon I	1 Stress III	9,043	2,000 ft. 18" Harbor Boom	1 - Shallow Water Barge (self propelled/400 bbl)
	Other Equipment	1 Desmi Ocean 3 Queensboro 1 DA Pond Skimmer 1 DOP-250	3,017 2,715 420 3,017	2,000 ft. Texa Boom 2,000 ft. 20" Harbor Boom 180 ft. 20" Simplex 2,000 ft 18" Harbor Boom 5,000 ft. 10" Swamp Boom	2 - Shallow Water Barges (non-self propelled/400 bbl) 2 - Mini-Barges; 100 bbls TS each, total 200 bbls 2 - Shallow Water Push Boats (1 -26' Munson; 1 - 28' Munson) 2 - 12' Punts 1- 57 bbl Fastank 1 - 59 bbl towable storage bladder 660 Gallons Corexit 9500 (2 totes)
Site Totals		7	18,212	14,380	
Martinez, CA (Martinez Marina)	Sentinel				
	Raider II (38') Raider IV(38')	1 Marco Class II	6,150	1,000 ft. 18" Harbor Boom 1,000 ft. 18" Harbor Boom	90 bbls TS on Sentinel
		1 GT-185/w adap	1,371	60 ft. 20" Simplex	1 - Shallow Water Barge (self propelled@400 bbl)
	Other Equipment	2 Mini-Waloseps 7 4" Oil Mop 1 6" Oil Mop 2 Oil Hawg 1 Skim Pac	596 266 48 1,372 240		6 - 12' Punts 2 - 57 bbl; 1 - 9 bbl Fast Tanks 1- (12 bbl) Kepner Sea Container
Site Totals		15	10,043	2,060	
Benicia, CA Clean Harbors Yard	Mini Spoiler I	1 Marco Class I	3,588		18 bbls TS on Mini Spoiler I
	Mini Spoiler II	1 Marco Class I	3,588		18 bbls TS on Mini Spoiler II
				1,800 ft. 10" River Boom 1,800 ft. 10" River Boom	
	Other Equipment			1,000 ft. 20" Harbor Boom	2 - Shallow Water Push Boats(2 - 28' Munson)(500ft e
Site Totals		2	7,176	4,600	
Concord, CA Buchanan Field 1 King Air BE-90					330 Gallons Corexit 9500 Dispersant (1 Tote)

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
----------	----------------------------------	----------	---	------	---------------------------

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
			BBL/Day			
Martinez, CA (Tesoro)					1,850 ft. 43" Expandi 4,000 ft. 20" Harbor Boom 2,000 ft. Qualitech Boom 12,450 ft. 10" Swamp Boom	4 - Mini-Barges; 100 bbls TS each, total 400 bbls
Site Totals				20,300		
Vallejo, CA (Vallejo Marina)	Spill Spoiler I	2 Marco Class II	12,300			90 bbls TS on Spill Spoiler I
Site Totals			2	12,300		
Richmond, CA High Volume Port	Pacific Responder	1 Transrec 350 1 Stress I	10,567 15,840	5,280	ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage*
	Ocean Liberty (Former Clean Bay II)	1 GT-185/w adap 1 Stress I	1,371 15,840	2,250 1,000	ft. 43" Expandi ft. 30" Expandi	2,089 bbls TS on Ocean Liberty
	MSRC 451	1 Stress III 1 GT-185/w adap	9,043 1,371	660	ft. 48" Troil Boom ft. 60" Troil Boom ft. 18" Harbor Boom	1 - 45,000 barrel offshore barge
	Spill Spoiler II MSRC Spill Chaser	2 Marco Class II 2 LORI Brush P	12,300 5,000	2,000 40	ft. 18" Harbor Boom ft. Troil Boom	90 bbls of TS on Spill Spoiler II 50 bbls TS on MSRC Spill Chaser
	Raider I (32') Raider III(32')			1,000 1,000	ft. 18" Harbor Boom ft. 18" Harbor Boom	
	Other Equipment	3 Queensboro 1 W-1 1 W-4 1 WP-1 3 Destroil 250 1 W-2 1 GT-185	2,715 1,920 3,562 3,017 6,984 1,920 1371	2,860 250 9,950 3,800 1,300 8,900 440	ft. Sea Sentry II ft. 43" Expandi ft. Texa Boom ft. 20" Harbor Boom ft. 18" Simplex ft. 18" Harbor Boom ft. 20" Simplex	4 - Shallow Water Barges(non-self Propelled @400 bb 2 - Shallow Water Push Boats(1 - 28' Munson) 1 - 9 m RHB work boat 1 - 3,000 barrel towable storage bladder 9 - 500 bbl towable storage bladders 4 - 59 bbl towable storage bladders 1 - 29 bbl towable storage bladder
Site Totals			21	92,821	45,060	9,735 Gallons Corexit 9500 Dispersant (1 ISO Tank, 1

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
----------	----------------------------------	----------	---	------	---------------------------

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
			BBL/Day			
Crockett, CA 74' LCM (Chartered)					8,000 ft. 20" Harbor Boom 100 ft. 20" Simplex	
Site Totals				8,100		
Oakland, CA					1,000 ft. 20" Harbor Boom	
Site Totals				1,000		
Sacramento, CA		2 Skim Pac	480		2,000 ft. 18" Qualitech Boom 1,000 ft. 10" Swamp Boom	1 - 18' Workboat
Site Totals				2	480	3,000
Stockton, CA					1,000 ft. 16" Fence Boom 1,000 ft. 18" Harbor Boom 1,000 ft. 10" Swamp Boom	
Site Totals					3,000	
Cordelia, CA					1,000 ft. 16" Fence Boom 700 ft. 6" Swamp Boom	
Site Totals					1,700	
Sausalito, CA					1,000 ft. 20" Harbor Boom	
Site Totals					1,000	
San Rafael, CA					1,000 ft. 20" Harbor Boom	
Site Totals					1,000	
Pittsburg, CA					2,000 ft. 20" Harbor Boom	
Site Totals					2,000	
Oyster Point, CA					1,000 ft. 6" Swamp Boom 1,000 ft. 10" Swamp Boom	

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Site Totals				2,000	
Redwood City, CA				1,000 ft. 6" Swamp Boom 1,000 ft. 10" Swamp Boom	
Site Totals				2,000	

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day		
Port Hueneme, CA	MSRC 320	1 Stress I	15,840	660 ft. Sea Sentry II	1 - 32,000 barrel offshore barge
	Other Equipment	1 GT-185	1,371		
Site Totals		2	17,211	660	
Terminal Island, CA High Volume Port	California Responder	1 Transrec 350 1 Stress III	10,567 9,043	5,280 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage*
	Other Equipment			990 ft. Reelpack	
Site Totals		2	19,610	6,270	
Long Beach, CA Berth 53 & 57	Sea Strike	1 GT-185/w adap 1 Stress I	1,371 15,840	3,600 ft. 43" Expandi 90 ft. 58" Troil 90 ft. 43" Troil	1,267 bbls TS on Sea Strike
	Recovery 1	2 Lori Lors	9,908	1,500 ft. 43" Expandi 52 ft. 60" Fence Boom	2,215 bbls on Recovery 1
	Recovery 2	2 Lori Lors	9,908	1,500 ft. 43" Expandi 52 ft. 60" Fence Boom	2,215 bbls on Recovery 2
	Response 3	2 GT-185 1 LAMOR Multi	2,742 1,603	2,000 ft. 20" Harbor Boom	15 bbls on Response 3
	Recon 3			1,000 ft. 43" Reelpack	
	Recon 4			1,000 ft. 43" Reelpack	
	Response 1				
	Response 2				
	Other Equipment	1 Queensboro 1 Elastec Drum	905 288	60 ft. Simplex 1,980 ft. Sea Sentry II	1 - Shallow Water Barge (non-self propelled/400 bbls) 1 - 500 bbl towable storage bladder 2 -18' Small boats
Site Totals		11	42,565	12,924	
El Segundo, CA		1 Walosep W4 2 Queensboro 1 GT-185 w Adap 1 WP-1	3,562 1,810 1,371 3,017	7,700 ft. Sea Sentry II 6,000 ft. Texa Boom 180 ft. Simplex	3 - Shallow Water Barges (non-self propelled/400 bbl) 1 - Lori Barge; 100 bbls TS 2 - 500 bbl towable storage bladders

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Site Totals	5		9,760	13,880	

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity			Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day			
Long Beach, CA (W/H & Yard)		4 GT-185 2 Lori Side Collec 3 Lori Bow Collec 1 Komara K-12	5,484 4,954 7,431 275	7,400 600 3,150 400 500	ft. 18" Harbor Bo ft. 20' Solid fill Bo ft. 43" Expandi ft. 24" Solid fill Bo ft. Marsh Boom	Lori Barges (2); 100 bbls on each Lori Barge, total 200 2 - (16'- 22') Small boats 4- 57 bbl Fastanks, total 228 2 - 8 bbl tank 4 - Shallow Water Pushboats (3-28' Munson, 1-26' Mu 9 - 10 bbl Fastanks, total 90 bbls 3,630 Gallons Corexit 9500 dispersant (11 totes)
Site Totals		10	18,144	12,050		
Long Beach, CA (Berth 35)				7,000	ft. 43" Amer Marine	
Site Totals				7,000		
Long Beach, CA (Berth 85)- Tesoro				2,500	ft. 18" Amer Marine	9,240 Gallons Corexit 9500 dispersant (28 totes)
Site Totals				2,500		
Anaheim Bay, CA				3,800 1,500 2,000 3,075	ft. 36" Amer Marine ft. 24" Amer Marine ft. 10" Solid Boom ft. Marsh Boom	
Site Totals				10,375		
Los Angeles Harbor, CA (Berth 151)				2,400	ft. 36" Amer Marine	
Site Totals				2,400		
Los Angeles Harbor, CA Berth 301 - Harley Marine				2,000	ft. 18" Harbor Boom	
Site Totals				2,000		
Alamitos Bay, CA				800	ft. 24" Amer Marine	
Site Totals				800		

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats
			BBL/Day	Boom	
LB Fire Boat Sta #15				1,200	ft. 24" Amer Marine
Site Totals				1,200	
LB Fire Boat Sta #20				1,200	ft. 24" Amer Marine
Site Totals				1,200	
Platform Edith (offshore)				1,500	ft. 43" Expandi
Site Totals				1,500	
Platform Eva (offshore)				1,500	ft. 43" Expandi
Site Totals				1,500	
Platform Esther (offshore)				1,500	ft. 43" Expandi
Site Totals				1,500	
Platform Emmy (offshore)				750	ft. 43" Expandi
Site Totals				750	

Location	OSRV/OSRB/ SkimVsl/Boom Boats	Effective Daily Recovery Capacity			Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day			
San Diego, CA	Recon 2	1 Stress III	9,043	2,000	18' Amer Marine	1 - Shallow Water Barge (self propelled/400 bbl)
	Other Equipment	1 Walosep WM	336	1,900	ft. Qualitech Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
		1 Desmi Terminat	3,017	120	ft. Simplex	1 - 500 bbl towable storage bladder
		1 Queensboro	905	5,600	ft. 24" Amer Marin	1 - 21' Small boat; 7 bbls storage
		1 iT-185 w Adapt	1,371	1,950	Texa Boom	1 - Shallow Water Push Boat (28' Munson)
						2 - 3,000 bbl towable storage bladders
						4 - 57 bbl Fastanks, total, 228 bbls
Site Totals		5	14,672	11,570		
Mesa, AZ	C-130 Dispersant Spray AC					3,330 Gallons Corexit 9500 Dispersant (1 ISO Tank, 1
Chandler, AZ		1 ArdVac	3,840			
Site Totals		1	3,840			
McCarren, NV		1 ArdVac	3,840			
Site Totals		1	3,840			
Total Equipment		86 Skimmers	270,674	#####	Feet	2 - Responder Class OSRVs with a total of 8,000 bbls ; 10 - Smaller OSRVs with a total of 8,107 bbls storage 1 - FRV with 50 bbls storage 2 - Offshore Barges with 77,000 bbls storage 11 - Shallow Water Barges (non-self propelled) (4,400 3 - Shallow Water Barges (self propelled) (1,200 bbls s 11 - Shallow Water Push Boats 16 - Towable Storage Bladders (15,500 bbls storage) 6 - Mini Towable Storage Bladders (324 bbls storage) 12 - Tanks/Seabags (472 bbls storage) 7 - Small skimming vessels 9 - Small barges (900 bbls storage) 12 - Small boats (8 - Boom boats) 54,800 ft Ocean Boom 26,955 Gallons Corexit 9500 Dispersant

Bold entries denote resources associated with a vessel

*USCG OSRO Temp Stor, 14,000 barrels

CA OSPR OSRO Terr 12,901 barrels

NOTES & DISCLAIMERS:

(1) **FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.**

(2) **The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to prior spill responses. Use availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation and other conditions per**

(3) **Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and boom may be deployed w different vessels than those listed above.**

(4) **Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery rates, storage capacity will depend on the specifics of the individual response, the type of oil involved, etc.**

(5) **EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not represent actual perfo**

(6) **Preparation and implementation of plans remains the responsibility of the planholder.**

Location	OSRV/OSRB/ imVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
			BBL/Day			
Everett, WA	RV Peregrine	1 Marco 1' Belt	3,588			28 barrels TS on RV Peregrine
	RV Merlin	1 Marco 1' Belt	3,588			28 barrels TS on RV Merlin
	Other Equipment	1 Walosep W4	3,017	6,600 ft. Sea Sentry II	4 - 500 bbl towable storage bladders	
		1 WP-1	3,017	3,650 ft. Texa Boom	2 - 14 barrel ea portable tanks; total 28 barrels	
		1 Vikoma 3 Wei	5,657	4,000 ft. Slickbar	2 - 24 barrel ea portable tanks; total 48 barrels	
		1 Sea Wolf	3,017	1,216 ft. Vikoma 3 We	3 - 8 barrel portable storage tank	
		1 Aard VAC	3,840	60 ft. Simplex	1 - 7 barrel portable storage tank	
		1 Aqua Guard RI	360	1,300 ft. 43" Expandi	1 Work Boat (18')	
		2 Lori Brush Mo	7,324	2,600 ft. 6" Acme boom		
		3 DOP-250	10,686	500 ft. Pyro Fire Boom		
		1 Desmi DOP 25	2,057	500 ft. Pyro Fire Boom		
		2 OMI Rope	96			
		1 Aqua Guard RI	360			
		1 Poscon 150	754			
		1 Destroil 150	754			
		1 Drestroil 250	2914			
		1 Morris MI 30	987			
		1 Stress I	15,840			
Site Totals		22	67,856	#####		14,190 Gallons Corexit 9500 Dispersant (43 totes)
Anacortes, WA	RV Royal Tern	1 JBF Belt 5001	6,000			276 barrels TS on RV Royal Tern
	RV Aleutian Tern	1 Marco 3' Belt	10,764			67 barrels TS on RV Aleutian Tern
	Other Equipment	1 Queensboro	905	60 ft. Simplex	1 - Shallow Water Barge (self propelled/400 bbl)	
				5,500 ft. 20" Kepner	2 - 110 barrel TS ea Rigid Dracones; total 220 barrel	
				8,160 ft. 30" Acme	4 Work Boats (14' - 42')	
				4,500 ft. 20" Acme		
				2,900 ft. 18" Acme boom		
Site Totals		3	17,669	#####		
Blaine, WA				4,000 ft. 30" Acme		
				3,200 ft. 18" Acme boom		
Site Totals				7,200		
Bellingham, WA	RV Western Gull	1 JBF Belt 5001	6,000			286 barrels TS on RV Western Gull
	RV Heron	1 Morris Disc	206	400 ft. 20" Kepner	7 barrels TS on RV Heron	
	RV Grebe	1 Marco 1' Belt	3,588	600 ft. 20" Kepner	30 barrels TS on RV Grebe	
	Pelican			1,000 ft. 18" Acme bo	1 - 11,900 barrel OSRB	
	Other Equipment	1 Queensboro	905	4,000 ft. 20" Kepner	1 - Shallow Water Barge (non-self propelled/400 bbl)	
				60 ft. Simplex	1 - Shallow Water Push Boat (26' Munson)	

Location	OSRV/OSRB/ imVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Site Totals	4		10,699	6,060	2 - 8 barrel ea portable storage tanks; total 16 barrels 2 Work Boats (14' - 42')

Location	OSRV/OSRB/ imVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Ferndale, WA				4,000 ft. 30" Acme 2,000 ft. Slickbar	
Site Totals			6,000		
Pt. Wells, WA				2,000 ft. 42" Ocean boom 2,640 ft. Sea Sentry II 2,000 ft. 30" Acme	
Site Totals			6,640		
Seattle, WA High Volume	RV Cormorant RV Widgeon	2 Marco 3' Belt 1 Marco 1' Belt	21,540 3,588	600 ft. 20" Kepner	90 barrels TS on RV Cormorant 30 barrels TS on RV Widgeon
Other Equipment				1,500 ft. 20" Kepner 3,500 ft. 18" Acme boom	2 Work Boats (14' - 36')
Site Totals			3	25,128	5,600
Tacoma, WA	RV Plover RV Sandpiper RV Brant Ibis	1 Marco 3' Belt 1 Marco 3' Belt 1 Lori Brush	10,764 10,764 4,896		67 barrels TS on RV Plover 3.5 barrels TS on RV Sandpiper 8 barrels TS on RV Brant 1 - 21,403 barrel OSRB
Other Equipment		1 Queensboro	905	2,500 ft. 20" Kepner 4,000 ft. 12" Acme boom 1,000 ft. 18" Acme boom 60 ft. Simplex 4,000 ft. 30" Acme	1 - 100 barrel mini OSRB 1 - 7 barrel portable storage tank 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson) 4 Work Boats (14' - 36')
Site Totals			4	27,329	#####
Port Angeles, WA	W. C. Park Res MSRC 380 RV Shearwater Kittiwake RV Pintail RV Auklet	1 Transrec 350 1 Desmi Ocean 2 JBF Belt 6001 1 Lori LBC Bru 1 Marco 1' Belt	10,567 3,017 12,000 2,592 3,588	5,280 ft. Sea Sentry II 800 ft. 30" Acme 2700 ft. 18" Acme boom	1 - 4,000 barrel OSRV Storage* 1 - 38,000 barrel offshore barge 1,376 barrels TS on RV Shearwater 1 - 23,400 barrel offshore barge 7 barrels TS on RV Pintail 3 barrels TS on RV Auklet
		1 Morris Disc 1 GT-185 w Ada	206 1,371	1,320 ft. Sea Sentry II 2,000 ft. Texa Boom 2,000 ft. Slickbar 3,200 ft. 30" Acme 3,300 ft. 20" Kepner 60 ft. Simplex 1,000 ft. Qualitech Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson) 1 - Utility Work Boat (34' Munson) 4 - 7 barrel portable storage tanks; total 28 barrels 6 Work Boats (14' - 38')
Site Totals			8	33,341	#####

MSRC's Major Equipment - Pacific/Northwest Region

Location	OSRV/OSRB/ imVsl/Boom Boats	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
Neah Bay, WA	RV Arctic Tern	1 JBF Belt 5001	6,000		276 barrels TS on RV Arctic Tern
		1 Stress I	15,840		
	Other Equipment			2,000 ft. 42" Kepner 2,000 ft. 42" American 3,000 ft. 18" Qualitech 500 ft. 20" Acme 1,500 ft. 20" Kepner	1 Work boat (14' - 38')
Site Totals	2	21,840	9,000		
Spokane, WA		2 Slickbar Slurp	110		
Site Totals			110		
Astoria, OR	Oregon Response	1 Transrec 350	10,567	5,280 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage*
	MSRC 404	1 Stress I	15,840		1 - 40,000 barrel offshore barge
	Other Equipment	1 Vikoma 3 Weir 1 Aard VAC 1 Walosep W4 1 Desmi Ocean 2 DOP-250 1 GT-185 w ada	5,657 3,840 3,562 3,017 7,124 1,371	3,960 ft. Sea Sentry II 2,000 ft. Texa Boom 2,000 ft. Slickbar 1,216 ft. Vikoma 3 Weir 60 ft. Simplex 2,600 ft. 20" Kepner	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)
Site Totals	9	50,978	#####		
Portland, OR	RV Curlew	1 Marco 1' Belt	3,588		3 barrels TS on RV Curlew
	Other Equipment	1 Queensboro	905	2,000 ft. Slickbar 60 ft. Simplex	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)
Site Totals	2	4,493	2,060		
Coos Bay, OR		1 Stress I	15,840	60 ft. Simplex	1 - Shallow Water Barge (non-self propelled/400 bbl)
		1 GT-185 w Ada	1,371		1 - Shallow Water Push Boat (1-28' Munson)
	Site Totals	2	17,211	60	
Honolulu, HI	Hawaii Response	1 Transrec 350	10,567	5,500 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage*
	MSRC 400	1 Stress I	15,840		1 - 40,000 barrel offshore barge
	Other Equipment	1 Vikoma 3 Weir 1 GT-185 w Ada 1 DOP-250 3 Queensboro	5,657 1,371 3,017 2,715	5,280 ft. Sea Sentry II 2,000 ft. Texa Boom 8,000 ft. Slickbar 1,216 ft. Vikoma 3 Weir	2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Barge (self-propelled/400 bbl) 2 - Shallow Water Push Boats (2-28' Munsons) 4 - 500 bbl towable storage bladders

MSRC's Major Equipment - Pacific/Northwest Region

Location	OSRV/OSRB/ imVsl/Boom Boats	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
		Skimmers	BBL/Day		
	2	Walosep W4	7,124	500 ft Pyro Fire Boom 250 ft. Qualitech Bod	600 Gallons Corexit 9527 - 2 totes
Site Totals	10		46,291	#####	
Hilo, HI		1 Desmi Ocean 4 Queensboro	3,017 3,620	1,980 ft. Sea Sentry II 2,000 ft. Slickbar 500 ft. Qualitech Bod 3,000 ft. 20" Simplex E	3 - Shallow Water Barges (non-self propelled/400 bb 1 - Shallow Water Barge (self-propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 2 - 500 bbl towable storage bladders 1 - 3,000 bbl towable storage bladder 1 - (57 bbl) Fast Tank
Site Totals	5		6,637	7,480	

Total Equipment 74 Skimmers 329,582 ##### Feet

Bold entries denote resources associated with a vessel

*USCG OSRO Temp Stor, 14,000 barrels

WA DOE Temp Stor, 12,500 barrels

3 - Responder Class OSRVs with a total of 12,000 bt
17 - Smaller OSRVs with a total of 2,596 bbls storag
6 - Offshore Barges with 174,703 bbls storage
1 - Small OSRB with 100 bbls storage
11 - Shallow Water Barges (non-self propelled) (4,40
4 - Shallow Water Barges (self propelled) (1,200 bbl
11 - Shallow Water Push Boats
11 - Towable Storage Bladders (8,000 bbls storage)
15 - Storage Tanks/Bladders (364 bbls storage)
18 - Work Boats
45,470 ft Ocean Boom
14,190 Gallons Corexit 9500 dispersant
600 Gallons Corexit 9527 dispersant

NOTES & DISCLAIMERS:

(1) **FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.**

(2) **The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to prior availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation and**

(3) **Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and boor different vessels than those listed above.**

(4) **Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery will depend on the specifics of the individual response, the type of oil involved, etc.**

(5) **EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not re**

(6) **Preparation and implementation of plans remains the responsibility of the planholder.**