

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Portland, ME <b>Maine Responder MSRC 620</b> <b>Saddleback</b> <b>Katahdin</b> <b>Crocker</b> <b>Cadillac</b> <b>Agamenticus</b>	<b>1 Transrec 350</b> 1 WP-1 1 Desmi 250 1 Elastec Drum 1 Ro-Clean OM 2 1 Skim-Pack 180 1 Komara 12K 1 Komara 30K 2 Lori side collec 1 Sea Devil 1 GT-185 w Ada 1 Stress I	<b>10,567</b> 3,017 2,112 288 362 2,054 362 905 2,714 2,290 1,371 15,840	<b>2,640 ft. Sea Sentry II 660 ft. Sea Sentry II</b> 3,520 ft. Sea Sentry II 1,000 ft. Texa Boom 4,700 ft. 18" Kepner 220 ft. Sea Sentry (11-1 60 ft. Mark II Boom 1,200 ft. 38" Carolina Bo 4,650 ft. 27" Carolina Bo 1,750 ft. 38" Amer B & B 1,000 ft. Slickbar Boom 3,200 ft. 19" HarborBoom	<b>1 - 4,000 barrel OSRV Storage 1 - 62,000 barrel offshore barge</b> 1 - Shallow Water Barge (self propelled/400 bbl) 1 - 500 bbl towable storage bladder 2 - 100 bbl Towable Storage Barges 1 - 200 bbl Towable Storage Barge 2 - 10 bbl Fastanks 1 - 50 bbl Fastank 2 - 55 bbl Fastanks 1 - Lancer TSB
Boston, MA High Volume Port	1 Desmi Ocean 1 Queensboro	3,017 905	1,320 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 1,000 ft. 18" Kepner	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Providence, RI	1 GT-185 w Ada	1,371	4,620 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 1,900 ft. 18" Kepner	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Edison/Perth Amboy, NJ <b>New Jersey Responder MSRC 520</b> High Volume Port	<b>1 Transrec 350</b> 1 Desmi Ocean 1 AardVAC 1 GT-185 w Ada 1 Skim-Pak 1 Stress I 1 Walosep W4	<b>10,567</b> 3,017 3,840 1,371 548 15,840 3,017	<b>2,640 ft. Sea Sentry II 660 ft. Sea Sentry II</b> 3,520 ft. Sea Sentry II 1,800 ft. Texa Boom 990 ft. Sea Sentry (20-3 770 ft. Sea Sentry (11-1 120 ft. Mark II Boom	<b>1 - 4,000 barrel OSRV Storage 1 - 52,000 barrel offshore barge</b> 1 - Shallow Water Push Boat (28' Munson) 1 - Shallow Water Barges (self propelled/400 bbl) 2 - 500 bbl towable storage bladders 3 - 10 bbl Fastanks 9 - 55 bbl Fastank 4,290 GallonsCorexit 9500 (13 totes) - At Paulsboro,
Bayonne, NJ	1 GT-185 w Ada	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
Chesapeake City, MD <b>Delaware Responder</b>	<b>1 Transrec 350</b>	<b>10,567</b>	<b>2,640 ft. Sea Sentry II</b>	<b>1 - 4,000 barrel OSRV Storage</b>

Location	Effective Daily Recovery Capacity			Storage, SBS, Small Boats
	Skimmers	BBL/Day	Boom	
<b>MSRC 401</b> High Volume Port	1 Walosep W4	3,017	<b>660 ft. Sea Sentry II</b>	<b>1 - 40,000 barrel offshore barge</b>  2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (2-26' Munson) 330 Gallons Corexit 9500 Dispersant (1 tote) - At DB 10,725 Gallons Corexit 9500 Dispersant (1 ISO Tank)
	1 Skim-Pak	548	3,520 ft. Sea Sentry II	
	1 Queensboro	905	1,000 ft. Texa Boom	
	1 GT-185 w Ada	1,371	60 ft. Mark II Boom	
	1 Stress I	15,840	3,100 ft. 18" Kepner	
			60 ft. Mark II Boom	

Location	Effective Daily Recovery Capacity			Boom	Storage, SBS, Small Boats
	Skimmers	BBL/Day			
Baltimore, MD	1 GT-185 w Ada	1,371		60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Virginia Beach, VA MSRC 680 MSRC Relentless	2 Crucial Disk 8 1 LORI Brush P 1 AardVAC 1 GT-185 w Ada 1 Stress I	22,244 5,000 3,840 1,371 15,840		660 ft. Sea Sentry II 1,540 ft. Sea Sentry II 3,000 ft. Texa Boom 1,900 ft. 18" Kepner 60 ft. Mark II Boom	1 - 68,000 barrel offshore barge 1 - 50 barrel FRV Storage. 1-100 barrel Towable S 1 - 500 bbl towable storage bladder 2 - 10 bbl Fastanks 1 - Shallow Water Barge (self propelled/400 bbl) 2 - 55 bbl Fastank
Yorktown, VA	1 GT-185 w Ada	1,371		60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Savannah, GA MSRC Express MSRC 350	2 Crucial Belt 1 Transrec 350 2 Walosep W4 1 Stress I 1 Skim-Pak 2 GT-185 w Ada	21,500 10,567 6,034 15,840 548 2,742		660 ft. Sea Sentry II 8,800 ft. Sea Sentry II 2,000 ft. 18" Kepner 1,000 ft. Texa Boom 120 ft. Mark II Boom	1 - 249 barrel Storage 1 - 35,000 barrel offshore barge 1 - 3,000 bbl towable storage bladder 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (2 -28' Munson) 6 - 500 bbl towable storage bladders 1 - 10 bbl Fastanks 1 - 55 bbl Fastank 8,250 Gallons Corexit 9500 (25 totes)
Jacksonville, FL	1 GT-185 w Ada	1,371		50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Miami, FL Florida Responder	1 Transrec 350 1 WP 1 1 Desmi Ocean 1 Walosep 4 1 Stress I 2 AardVac 1 GT-185 w Ada	10,567 3,017 3,017 3,017 15,840 7,680 1,371		2,640 ft. Sea Sentry II 8,360 ft. Sea Sentry II 2,900 ft. 18" Kepner 50 ft. OK Corral 2,000 ft. Quali-tech	1 - 4,000 barrel OSRV Storage 1 - Shallow Water Barge (self propelled/400 bbl) 8 - 500 bbl towable storage bladders
St. Croix, VI MSRC 381	1 Stress I	15,840		660 ft. Sea Sentry II	1 - 38,000 barrel offshore barge

## MSRC's Major Equipment - Atlantic/Gulf Region-Atlantic Area

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
High Volume Port	1 AardVac 1 Stress I 1 Queensboro 1 GT-185 w Ada	3,840 15,840 905 1,371	11,660 ft. Sea Sentry II 5,940 ft. Slickbar 500 ft. Fire + 400' Guide 100 ft. Quali-tech	2 - Shallow Water Barges (self propelled/400 bbl ea) 4 - 500 bbl towable storage bladders

Ponce, Puerto Rico	1 Desmi Ocean 3 Queensboro 1 Foilex 200	3,017 2,715 1,989	9,465 ft. Slickbar 150 ft. Quali-tech	2 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Barge (self-propelled/400 bbl) 2 - Shallow Water Push Boat (28' Munson)
--------------------	---	-------------------------	--	--

San Juan, Puerto Rico <b>MSRC Brisa Rapid</b>	<b>1 LORI Brush F</b> 1 Queensboro 1 Stress II	<b>5,000</b> 905 3,017	4,100 ft. Slickbar 50 ft. Quali-tech	<b>1 - 50 barrel FRV Storage</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 1 - 100 bbl towable storage bladder 3,300 Gallons Corexit 9500 (10 totes) 900 Gallons Corexit 9527 dispersant - 3 totes
--	--	------------------------------	---	---

Total Equipment # Skimmers 327,581 ##### Feet

5 - Responder Class OSRVs with a total of 20,000 bb  
2 - Smaller OSRVs  
2 - FRV's with a total of 50 bbls storage each  
6 - Offshore Barges with 295,000 bbls storage  
13 - Shallow Water Barges (non-self propelled) (5,200  
7 - Shallow Water Barges (self propelled) (2,800 bbls)  
3 - Towable Storage Barges (non-self propelled) (400  
13 - Shallow Water Push Boats  
24 - Towable Storage Bladders (11,200 bbls storage)  
3 - Work Boats  
23 - Fastanks (900 bbls)  
62,700 ft Ocean Boom  
26,895 Gallons Corexit 9500 Dispersant  
900 Gallons Corexit 9527 Dispersant

**Bold entries denote resources associated with a vessel**

**NOTES & DISCLAIMERS:**

(1) **FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.**

(2) The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation

(3) Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and different vessels than those listed above.

(4) Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery will depend on the specifics of the individual response, the type of oil involved, etc.

(5) EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not

(6) Preparation and implementation of plans remains the responsibility of the planholder.

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Ingleside, TX <b>Southern Responder</b> <b>MSRC 403</b> <b>MSRC Quick Strike</b> High Volume Port	1 Transrec 350 1 Crucial Disk 8 2 LORI Brush P 1 WP 1 1 Stress I 1 GT-185 w Adap 1 Foilex 250	10,567 11,122 5,000 3,017 15,840 1,371 3,977	2,970 ft. Sea Sentry II 770 ft. Sea Sentry II 2,860 ft. Sea Sentry II 900 ft. Slickbar 500 ft. Texa Boom 50 ft. OK Corral 1,350 ft. 44" Amer B&B 430 ft. Oil Stop 2,050 ft. Flexy-Pimac	1 - 4,000 barrel OSRV Storage 1 - 40,300 barrel offshore barge 1 - 50 barrel FRV Storage 1 - Shallow Water Barge (self propelled/400 bbl) 3,300 Gallons Corexit 9500 dispersant (10 totes)
Galveston, TX <b>Texas Responder</b> <b>MSRC 570</b> High Volume Port	1 Transrec 350 2 Crucial Disk 8 2 GT-185 w Adap 1 Walosep 4 1 Queensboro 1 Foilex 250 1 Stress I	10,567 22,244 2,742 3,017 905 3,977 15,840	2,640 ft. Sea Sentry II 660 ft. Sea Sentry II 4,290 ft. Sea Sentry II 1,000 ft. Slickbar 500 ft. Texa Boom 50 ft. OK Corral 100 ft. Quali-tech 6,000 ft. Pyro Boom	1 - 4,000 barrel OSRV Storage 1 - 56,900 barrel offshore barge 3 - Shallow Water Barges (non-self propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 2 - 500 barrel towable storage bladders 1-Fast Response Unit 11,550 Gallons Corexit 9500 (35 totes)
Houston, TX				
Port Arthur, TX High Volume Port	1 GT-185 w Adap	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Lake Charles, LA <b>Gulf Coast Responder</b> High Volume Port	1 Transrec 350 4 Queensboro 1 Desmi 1 Foilex 250 1 Stress I	10,567 3,620 3,017 3,977 15,840	2,640 ft Sea Sentry II 6,679 ft Sea Sentry II 1,320 ft EFC(cont infla 100 ft. OK Corral 9,400 ft. 18" Kepner 100 ft. Quali-tech 400 ft. Texa Boom 1,000 ft. Slickbar	1 - 4,000 barrel OSRV Storage 1 - Shallow Water Barge (self propelled/400 bbl) 3 - Shallow Water Barge (non-self propelled/400bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 2 -3,000 barrel towable storage bladder 14 - 500 barrel towable storage bladders

Location	Skimmers	Effective Daily Recovery Capacity		Storage, SBS, Small Boats
		BBL/Day	Boom 1,500 ft Hydro Boom	
Port Fourchon, LA <b>Deep Blue Responder</b>	1 Transrec 350 2 Crucial Disk 88	10,567 22,244	2,640 ft. Sea Sentry II 2,640 ft EFC(cont inflate) 550 ft Hydro "training"	1 - 4,000 barrel OSRV Storage
Fort Jackson/Belle Chase, LA <b>Louisiana Responder</b> <b>MSRC 452</b> High Volume Port	1 Transrec 350 2 Crucial Disk 88 1 GT-185 w Adap 1 Walosep W4 1 Foilex 250 1 Stress I 1 Desmi Ocean 1 Queensboro 1 Foilex 200	10,567 22,244 1,371 3,017 3,977 15,840 3,017 905 1,989	2,640 ft. Sea Sentry II 660 ft. Sea Sentry II 1,980 ft. Sea Sentry II 1,000 ft. Slickbar 100 ft. OK Corral	1 - 4,000 barrel OSRV Storage 1 - 45,000 barrel offshore barge 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boat (1-28' Munson)
Baton Rouge, LA	1 GT-185 w Adap	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Pascagoula, MS <b>Mississippi Responder</b> <b>MSRC 402</b> High Volume Port	1 Transrec 350 2 Crucial Disk 88 1 Stress I 1 GT-185 w Adap 1 AardVac 1 WP 1 1 Queensboro 1 Stress II	10,567 22,244 15,840 1,371 3,840 3,017 905 3,017	2,625 ft. Sea Sentry II 5,280 ft 67" LAMOR 330 ft. Sea Sentry II 3,190 ft. Sea Sentry II 6,900 ft. 18" Kepner 1,450 ft. Texa Boom 50 ft. OK Corral	1 - 4,000 barrel OSRV Storage 1 - 40,300 barrel offshore barge 1 - Shallow Water Barge (self propelled/400 bbl) 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)
Stennis, MS				16,339 Gallons Corexit 9500 Dispersant (37 totes, 1 I

Effective Daily  
Recovery Capacity

Location                      Skimmers                      BBL/Day                      Boom                      Storage, SBS, Small Boats

Tampa, FL <b>MSRC 360</b> <b>MSRC Lightning</b>	<b>1 Crucial Disk88</b> <b>2 LORI Brush P</b> 1 Stress I 1 GT-185 w Adap 1 WP 1	<b>11,122</b> <b>5,000</b> 15,840 1,371 3,017	<b>1,540 ft. Sea Sentry II</b>  2,000 ft. Texa Boom 50 ft. OK Corral 2,200 ft. Slickbar	<b>1 - 36,000 barrel offshore barge</b> <b>1 - 50 barrel FRV Storage</b> 2 - 500 bbl towable storage bladders 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 4,290 Gallons Corexit 9500 Dispersant (13 totes)
Total Equipment	55 Skimmers	342,838	88,184 Feet	5 - Responder Class OSRVs with a total of 20,000 bbl 2 - FRV with a total of 100 bbls storage 5 - Offshore Barges with 218,500 bbls storage 12 - Shallow Water Barges (non-self propelled) (4,800 bbls storage) 3 - Shallow Water Barges (self propelled) (1,200 bbls storage) 12 - Shallow Water Push Boats 20 - Towable Storage Bladders (15,000 bbls storage) 44,785 ft Ocean Boom 35,479 Gallons Corexit 9500 Dispersant

**Bold entries denote resources associated with a vessel.**

**NOTES & DISCLAIMERS:**

**(1) FOR PLANNING PURPOSES ONLY. INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE.**

**(2) The above lists the resources potentially available. Actual availability depends on circumstances, including commitments to prior operations. The availability of specific equipment will also depend on local conditions, availability of contractors, traffic, weather, safe navigation and other factors.**

	Effective Daily Recovery Capacity				
Location	Skimmers	BBL/Day	Boom		Storage, SBS, Small Boats
<b>(3) Resources may be deployed in various combinations as directed by customer and circumstances. For example, skimmers and booms are different vessels than those listed above.</b>					
<b>(4) Estimates provided re: resources (EDRC, storage capacity, etc.) are not performance guarantees or warranties. Actual recovery will depend on the specifics of the individual response, the type of oil involved, etc.</b>					
<b>(5) EDRC is the Coast Guard and BOEMRE-prescribed measurement of skimming capability for planning purposes, and may not include all resources.</b>					
<b>(6) Preparation and implementation of plans remains the responsibility of the planholder.</b>					